THIS DOCUMENT IS THE PROPERTY OF KEYSTONE ELECTRONICS CORP. AND SHALL NOT BE REPRODUCED, DISTRIBUTED OR USED AS A BASIS FOR MANUFACTURE WITHOUT PROP WRITTEN PERMISSION FROM KEYSTONE ELECTRONICS CORP.  $\pm .005 [\pm 0.13]$ Ø.144 [Ø3.66]  $\pm .015 [\pm 0.38]$ ±.005 [±0.13] (2) PLS .390 [9.91] — 3.312 [84.12] SOLDER LUG INSULATOR .656 **INSULATED NON-INSULATED TUBE** [16.66] **CLIP CLIP** REF. 437 [11.10] 4.093 [103.96] REF. .687 [17.45] REF. NOTES: 1. BASE: MAT'L - STAINLESS STEEL 2. CLIP: MAT'L - SPRING STEEL FINISH - NICKEL PLATE 3. LUG: MAT'L - BRASS FINISH - TIN PLATE ISOMETRIC VIEW 4. TUBE: MAT'L - WOUND PAPER, BLACK ACTUAL SIZE KEYSTONE ELECTRONICS CORP. www.keyelco.com • NEW HYDE PARK NY 11040 • Tel (516)328-7500 PART NAME NON-INSULATED BATTERY HOLDER (2) 'AA' MATERIAL **AS NOTED** C 6.12.00 CHANGED AS PER ECN 00-045 DRN BY FINISH BOONE 4.05.82 В 11.10.97 ECR 97-058 REVISED DIMENSIONS AS NOTED APP'D RH 1X Α 8.10.83 REVISED DIMENSIONS TOLERANCES INCH CODE DWG NO.  $\pm .010 [\pm 0.25]$ DECIMAL 1189 C

ANGULAR ± 1°

UNLESS OTHERWISE SPECIFIED

REV.

DATE

**DESCRIPTION**