


UNIT:mm



CONN OUTER MOLD: WM-020

P2




P1

PIN ASSIGNMENT

P1 RED P2
1 WHITE 1
2 SPIRAL 2
3 3

Electronic Test:

- 1.100% Test,(Open,Short,Miss Wire)
- 2.Contact Resistance:2 ohm max.
- 3.Insulation Resistance:10M ohm min.
- 4.Hi-Pot:100V DC/10ms



1PCS/PE BAG

NOTE:

1.小PE袋/人PE袋对应料号,包装袋数量及时间印刷样式:




2.外箱两个侧面ITEM NO后面各贴一个35*22mm ROHS标志.

⑦	TIE	1	BLACK L=50mm
⑥	TUBE	2	HEAT SHRINK TUBE BLACK OD1.5*L15mm.
⑤	PE BAG	1/10	CLEAR SIZE:280*330*0.05mm PRINT BLACK"MADE IN CHINA"+"10PCS"
④	PE BAG	1	CLEAR SIZE:130*230*0.05mm PRINT BLACK"MADE IN CHINA".
③	OUT JACKET	5.5g	OUTER MODEL PVC 45P COLOR BLACK
②	CONN	2	3.5ST MALE Tray6.0mm L=30mm MOLD TYPE NI-PLATED INSULATOR COLOR:BLACK
①	CABLE	1	NOUL 28AWG(7/0.12 TC)*2C(RED,WHITE)+S(43/0.12 TC) JACKET BLACK OD:3.0MM
NO.	NAME	Q'TY	SPECIFICATION

CnC Tech, LLC				
Industrial Cable and Connector Technology				
DRAWN BY	LICHENG	DRAWING NO.	VG/LJ0-094-078	
CHECKED BY		CUSTOMER	CNC	
APPROVAL BY		ITEM NO.	770-10040-00050	
DECIDE BY		DATE	2012-12-28	
VERSIONS/EDITEDN	A/0	PROJECTION		

UNIT:mm



CONN OUTER MOLD: WM-020

CONN OUTER MOLD: WM-020

P1


P2



PIN ASSIGNMENT			
P1	RED	P2	
1	WHITE	1	
2	SPIRAL	2	
3		3	

Electronic Test:

- 1.100% Test,(Open,Short,Miss Wire)
- 2.Contact Resistance:2 ohm max.
- 3.Insulation Resistance:10M ohm min.
- 4.Hi-Pot:100V DC/10ms



1PCS/PE BAG

NOTE:
1.小PE袋大PE袋对应料号,包袋数量及时间印刷样式:

Cnc Tech, LLC	Industrial Cable and Connector Technology
770-10040-00100	10 PCS
529	ROHS

2.外箱两个侧放ITEM NO后面各贴一个35*22mm ROHS标签。

⑦	TIE	1	BLACK L=50mm
⑥	TUBE	2	HEAT SHRINK TUBE BLACK OD1.5*L15mm.
⑤	PE BAG	1/10	CLEAR SIZE:280*330*0.05mm PRINT BLACK"MADE IN CHINA"+"10PCS"
④	PE BAG	1	CLEAR SIZE:130*230*0.05mm PRINT BLACK"MADE IN CHINA".
③	OUT JACKET	5.5g	OUTER MODEL PVC 45P COLOR BLACK
②	CONN	2	3.5ST MALE Tray6.0mm L=30mm MOLD TYPE NI-PLATED INSULATOR COLOR:BLACK
①	CABLE	1	NOUL 28AWG(7/0.12 TC)*2C(RED,WHITE)+S(43/0.12 TC) JACKET BLACK OD:3.0MM
NO.	NAME	Q'TY	SPECIFICATION

Cnc Tech, LLC			
Industrial Cable and Connector Technology			
DRAWN BY	LICHENG	DRAWING NO.	VG/LJQ-094-078-A
CHECKED BY		CUSTOMER	CNC
APPROVAL BY		ITEM NO.	770-10040-00100
DECIDE BY		DATE	2012-12-28
VERSIONS/EDITION	A/0	PROJECTION	


UNIT:mm

4

3

2

I



CONN OUTER MOLD: WM-020

CONN OUTER MOLD: WM-020

27




PIN ASSIGNMENT

P1		P2
1	RED	1
2	WHITE	2
3	SPIRAL	3


Electronic Test:

- 1.100% Test,(Open,Short,Miss Wire)
- 2.Contact Resistance:2 ohm max.
- 3.Insulation Resistance:10M ohm min.
- 4.Hi-Pot:100V DC/10ms



NOTE:

- 1.小PE袋/大PE袋对应料号.包袋数量及时间印刷样式:



2. 外箱两个侧唛ITEM NO后面各贴一个35*22mm ROHS标签。

⑦	TIE	1	BLACK L=80mm
⑥	TUBE	2	HEAT SHRINK TUBE BLACK OD1.5*15mm.
⑤	PE BAG	1/10	CLEAR SIZE:280*330*0.05mm PRINT BLACK"MADE IN CHINA"+"10PCS"
④	PE BAG	1	CLEAR SIZE:130*230*0.05mm PRINT BLACK"MADE IN CHINA".
③	OUT JACKET	5.5g	OUTER MODEL PVC 45P COLOR BLACK
②	CONN	2	3.5ST MALE Troy6.0mm L=30mm MOLD TYPE NI-PLATED INSULATOR COLOR:BLACK
①	CABLE	1	NOUL 28AWG(7/0.12 TC)*2C(RED,WHITE)+S(43/0.12 TC) JACKET BLACK OD:3.0MM
NO.	NAME	Q'TY	SPECIFICATION

CNC Tech, LLC			
Industrial Cable and Connector Technology			
DRAWN BY	LICHENG	DRAWING NO.	VG/LJQ-094-078-B
CHECKED BY		CUSTOMER	CNC
APPROVAL BY		ITEM NO.	770-10040-00050
DECIDE BY		DATE	2012-12-28
VERSIONS/EDITION	A/0	PROJECTION	


4

၁၁

2


1

UNIT:mm



CONN OUTER MOLD: WM-020

CONN OUTER MOLD: WM-020



P1


P2

PIN ASSIGNMENT

P1 RED P2
1 WHITE 1
2 SPIRAL 2
3 3

Electronic Test:

- 1.100% Test,(Open,Short,Miss Wire)
- 2.Contact Resistance:2 ohm max.
- 3.Insulation Resistance:10M ohm min.
- 4.Hi-Pot:100V DC/10ms




1PCS/PE BAG

⑦	TIE	1	BLACK L=80mm
⑥	TUBE	2	HEAT SHRINK TUBE BLACK OD1.5*L15mm.
⑤	PE BAG	1/10	CLEAR SIZE:280*330*0.05mm PRINT BLACK"MADE IN CHINA"+"10PCS"
④	PE BAG	1	CLEAR SIZE:130*230*0.05mm PRINT BLACK"MADE IN CHINA".
③	OUT JACKET	5.5g	OUTER MODEL PVC 45P COLOR BLACK
②	CONN	2	3.5ST MALE Tray6.0mm L=30mm MOLD TYPE NI-PLATED INSULATOR COLOR:BLACK
①	CABLE	1	NOUL 28AWG(7/0.12 TC)*2C(RED,WHITE)+S(43/0.12 TC) JACKET BLACK OD:3.0MM
NO.	NAME	Q'TY	SPECIFICATION

CnC Tech, LLC
Industrial Cable and Connector Technology

DRAWN BY	LICHENG	DRAWING NO.	V6/LJ0-094-078-C
CHECKED BY		CUSTOMER	CNC
APPROVAL BY		ITEM NO.	770-10040-00200
DECIDE BY		DATE	2012-12-28
VERSIONS/EDITEDN	A/0	PROJECTION	

NOTE:
1.小PE袋/大PE袋对应料号,包装袋数量及时间印刷样式:



2.外箱两个侧边ITEM NO后面各贴一个35*22mm ROHS标签.