


- NOTES:
- MATERIALS AND FINISHES:
 REAR BODY - BRASS, GOLD PLATED
 FRONT BODY, CONTACT - BeCu, GOLD PLATED
 INSULATOR - PTFE
 - ELECTRICAL:
 A. IMPEDANCE: 50 OHM
 - MECHANICAL:
 A. DURABILITY: 500 CYCLES MIN.
 B. TEMPERATURE RANGE: -65° C TO +165° C
 - PACKAGING:
 A. QUANTITY: SINGLE PACK
 B. MARKING: BAG TO BE MARKED
 "AMPHENOL RF, 901-368-12, AND DATE CODE"


5. SHOWS CABLE ENTRY DIMENSIONS.

PRELIMINARY ISSUE




SCALE 5.000

**RECOMMENDED
CABLE STRIPPING DIMENSIONS**




THIRD ANGLE PROJ.

REVISIONS				
REV	DESCRIPTION	DATE	ECO	APPR
--	OFFICIAL ENG. RELEASE TO MFG.	2/2/73	27509	
R	REDRAWN TO AUTOCAD WAS 'C' SIZE; DEL NOTES 3,5 & 15; CHGD NOTE 4 ; ADD 16,17 & PLATE CODES; DEL HEAT TREAT FROM STAMP; DEL SILVER SOLDER REF; ITEM 1 WAS 901-5714-1; ITEM 2 WAS 901-5113-3; ADD ITEM 13.	7-11-96	41240	CPM/
T	REDRAWN IN PRO-E	--	49251	KR



FLAT MUST BE PARALLEL WITH AXIS OF ITEM 1 WITHIN ±10°



SCALE 2.000

CUSTOMER OUTLINE DRAWING
ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES ±.015 (0,381 mm) ±.005 (0,127 mm) ± 1°	MATERIAL	DRAWN	DATE	TITLE SMA 90° PLUG CRIMP TYPE FOR RG-174/U & RG-188/U RG-316/U CABLE		Amphenol RF www.amphenolrf.com	
	SEE NOTES	KARTHIK R	05-Sep-12				
NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.	REFERENCE	ENGINEER	DATE	SCALE: 4.0:1.0 SHEET 2 OF 2		DRAWING NO.901-368-12	
	DOR 311163-51 MIL-C-39012/56-4007 CONFIGURATION LEVEL: In Work	D. RODYCE	1/26/73			DWG SIZE B	
	FINISH	APPROVED	DATE	REV T	PART NO.901-368-12		